

SPRAYWASH

Page: 1

Compilation date: 25.07.2016

Revision No: 1

1.1. Product identifier		
Product name:	SPRAYWASH	
Product code:	703.400.000	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	
Use of substance / mixture:	Cleaning agent / Cleaner	
1.3. Details of the supplier of the	ne safety data sheet	
Company name:	ECS Cleaning Solutions GmbH	
	Storkower Str. 113	
	D-10407 Berlin	
	Deutschland	
Tel:	+49 (0)30 / 36 46 40 36	
	gunnar.kleinmann@ecsag.com	
1.4. Emergency telephone num		
Emergency tel:	Germany: Intoxications Information Center; +49 761 19240	
	Switzerland: Swiss Toxicological Information Centre; +41 44 251 51 51	
	Austria: Intoxication information center; +43 1 406 43 43	
ection 2: Hazards identificati	on	
2.1. Classification of the subst	ance or mixture	
Classification under CLP:	Flam. Aerosol 1: H222; STOT SE 3: H336; Aquatic Chronic 2: H411; Eye Irrit. 2: H319;	
	Skin Irrit. 2: H315; Asp. Tox. 1: H304; -: H229	
ost important adverse effects:	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin	
	irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to	
	aquatic life with long lasting effects.	
2.2. Label elements		
Label elements:		
	H222: Extremely flammable aerosol.	
	H229: Pressurised container: May burst if heated	
	H315: Causes skin irritation.	
	H319: Causes serious eye irritation.	
	H336: May cause drowsiness or dizziness.	
	H411: Toxic to aquatic life with long lasting effects.	
Hazard pictograms:	GHS02: Flame	
	GHS07: Exclamation mark	
	GHS09: Environmental	

SPRAYWASH



Signal words:	Danger
Precautionary statements:	P101: If medical advice is needed, have product container or label at hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P251: Do not pierce or burn, even after use.
	P271: Use only outdoors or in a well-ventilated area.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352: IF ON SKIN: Wash with plenty of water/.
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312: Call a POISON CENTER/doctor//if you feel unwell.
	P332+313: If skin irritation occurs: Get medical.
	P403+233: Store in a well-ventilated place. Keep container tightly closed.
	P405: Store locked up.
	P501: Dispose of to.
2.3. Other hazards	

Other hazards: Buildup of explosive mixtures without sufficient ventilation.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	PBT / WEL	PBT / WEL CLP Classification	
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	35.000%
			STOT SE 3: H336	

Page: 2

SPRAYWASH

Page: 3

KOHLENWASSERSTOFFE, C6, ISOALKANE, <5%N-HEXAN - REACH registered number(s): 01-2119484651-34

931-254-9	-	-	Flam. Liq. 2: H225; Asp. Tox. 1: H304;	25.000%
			Aquatic Chronic 2: H411; Skin Irrit. 2:	
			H315; STOT SE 3: H336	

KOHLENWASSERSTOFFE, C9-C10, N-ALKANE, ISO-ALKANE, CYCLISCHE VERBINDUNGEN, <2% AROMATEN

927-241-2	64742-82-1	64742-82-1 - Flam. Liq. 3: H226; Asp. Tox.		15.000%
			STOT SE 3: H336; Aquatic Chronic 3:	
		H412		

1-METHOXY-2-PROPANOL

203-539-1	107-98-2	-	Flam. Liq. 3: H226; STOT SE 3: H336	15.000%
ETHYL METH	YL KETONE			
201-159-0	78-93-3	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	5.000%
			STOT SE 3: H336; -: EUH066	

KOHLENDIOXID

204-696-9	124-38-9	Substance with a Community	Press. Gas: H280	5.000%
		workplace exposure limit.		

Contains: aliphatic hydrocarbons >=30%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and

footwear immediately unless stuck to skin.

Eye contact: Rinse opened eye for several minutes under running water.

Ingestion: If symptoms persist consult doctor.

Inhalation: In case of unconsciousness place patient stably in side position for transportation.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion: May be fatal if swallowed and enters airways.

Inhalation: May cause drowsiness or dizziness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Dry chemical powder. Water spray. Fight Larger fires with water spray or alcohol resistant foam.

SPRAYWASH

5.2. Special hazards arising from the substance or mixture

Exposure hazards: No further relevant information available.

5.3. Advice for fire-fighters

Advice for fire-fighters: Protective equipment: No special measures required. Additional information: Collect

contaminated fire fighting water separately. It must not enter the sewage system.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Wear protective equipment. Keep unprotected persons away.

6.2. Environmental precautions

Environmental precautions: Do not allow to enter sewers/surface or ground water. Inform respective authorities in

case of seepage into water course or sewage system.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS. Safe handling: see section 7

Section 7: Handling and storage

7.1. Precautions for safe handling

 Handling requirements:
 Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use. Do not spray onto a naked flame or any incandescent material.

7.2. Conditions for safe storage, including any incompatibilities

 Storage conditions:
 Observe official regulations on storing packagings with pressurised containers.

 Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use. Storage class: 2B

7.3. Specific end use(s)

Specific end use(s): No further relevant information available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

SPRAYWASH

Hazardous ingredients:

PROPAN-2-OL

	nits:		Respirable dust	
State 8 h	nour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-
1-METHOXY-2-PROPAN	NOL			
UK	375 mg/m3	560 mg/m3	-	-
ETHYL METHYL KETO	NE			
UK	600 mg/m3	899 mg/m3	-	-
KOHLENDIOXID				
EU	9100 mg/m3	-	-	-
DNEL/PNEC Values				
DNEL / P 3.2. Exposure controls	NEC No data av			
Engineering measu	Uros: Koop owo	from foodatuffo, bouaragoo	and food Immediately roma	ve all acided and
Engineering measu			and feed. Immediately remov	
Engineering meas	contaminat	ed clothing. Wash hands be	and feed. Immediately remov fore breaks and at the end of	
	contaminat with the ey	ed clothing. Wash hands be es and skin.	fore breaks and at the end of	work. Avoid contact
	contaminat with the ey	ed clothing. Wash hands be es and skin. prief exposure or low pollutio	fore breaks and at the end of n use respiratory filter device	work. Avoid contact
	contaminat with the ey ction: In case of I or longer e	ed clothing. Wash hands be es and skin. prief exposure or low pollutio xposure use self-contained r	fore breaks and at the end of n use respiratory filter device espiratory protective device.	work. Avoid contact
Respiratory protec	contaminat with the ey ction: In case of t or longer e device: Filt	ed clothing. Wash hands be es and skin. prief exposure or low pollutio xposure use self-contained r er A/P2 Not necessary if roo	fore breaks and at the end of n use respiratory filter device espiratory protective device.	work. Avoid contact
Respiratory protec Hand protec	contaminat with the ey tion: In case of I or longer e device: Filt tion: Protective	ed clothing. Wash hands be es and skin. prief exposure or low pollutio xposure use self-contained r er A/P2 Not necessary if roo gloves. Nitrile gloves.	fore breaks and at the end of n use respiratory filter device espiratory protective device.	work. Avoid contact
Respiratory protec Hand protec	contaminat with the ey ction: In case of t or longer e device: Filt	ed clothing. Wash hands be es and skin. prief exposure or low pollutio xposure use self-contained r er A/P2 Not necessary if roo gloves. Nitrile gloves.	fore breaks and at the end of n use respiratory filter device espiratory protective device.	work. Avoid contact
Respiratory protec Hand protec	contaminat with the ey tion: In case of I or longer e device: Filt tion: Protective tion: Tightly fittir	ed clothing. Wash hands be es and skin. prief exposure or low pollutio xposure use self-contained r er A/P2 Not necessary if roo gloves. Nitrile gloves. ng safety goggles.	fore breaks and at the end of n use respiratory filter device espiratory protective device.	work. Avoid contact
Respiratory protec Hand protec Eye protec	contaminat with the ey tion: In case of to or longer e device: Filt tion: Protective tion: Tightly fittir hemical proper	ed clothing. Wash hands be es and skin. prief exposure or low pollution xposure use self-contained r er A/P2 Not necessary if roo gloves. Nitrile gloves. ng safety goggles. ties	fore breaks and at the end of n use respiratory filter device espiratory protective device.	work. Avoid contact

State.	Aeiosoi		
Colour:	Colourless		
Odour:	Characteristic odour		
Solubility in water:	Not miscible or difficult to mix.		
Boiling point/range°C:	Not applicable. Melting point/rang	je°C:	Undetermined.
Flammability limits %: lower:	0,8 Vol % uj	pper:	20,0 Vol %
Flash point°C:	-26°C Autoflammabili	ty°C:	>200 °C
Vapour pressure:	at 20°C: 6400hPa Relative der	sity:	Not determined.
pH:	Not applicable. VO	C g/I:	96,40 %
9.2. Other information			

Page: 5

SPRAYWASH

Page: 6

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No further relevant information available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: No dangerous reactions known.

10.4. Conditions to avoid

Conditions to avoid: No further relevant information available.

10.5. Incompatible materials

Materials to avoid: No further relevant information available.

10.6. Hazardous decomposition products

Haz. decomp. products: No dangerous decompsition products known.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

KOHLENWASSERSTOFFE, C6, ISOALKANE, <5%N-HEXAN

DERMAL	RAT	1H LC50	>3000	mg/kg
GASES	RAT	4H LC50	>20	mg/l
ORAL	RAT	LD50	>5000	mg/kg

KOHLENWASSERSTOFFE, C9-C10, N-ALKANE, ISO-ALKANE, CYCLISCHE VERBINDUNGEN, <2% AROMATEN

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

1-METHOXY-2-PROPANOL

IVN RAT LD50	4200 mg/kg
--------------	------------

SPRAYWASH

ORL	MUS	LD50	11700	mg/kg
ORL	RAT	LDLO	3739	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion: May be fatal if swallowed and enters airways.

Inhalation: May cause drowsiness or dizziness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

KOHLENWASSERSTOFFE, C6, ISOALKANE, <5%N-HEXAN

Daphnia magna	LC50/48h	3,87	mg/l
Oryzias latipes	LC50/48h	>1	mg/l

12.2. Persistence and degradability

Persistence and degradability: No further relevant information available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No further relevant information available.

12.4. Mobility in soil

Mobility: No further relevant information available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic for fish Also poisonous for fish and plankton in water bodies. Toxic to aquatic

organisms.

Section 13: Disposal considerations

Page: 7

SPRAYWASH

13.1. Waste treatment methods

Disposal operations:	Must not be disposed together with household garbage. Do not allow product to reach
	sewage system.
Waste code number:	15 01 10
Disposal of packaging:	15 01 04 metallic packaging Recommendation: Disposal must be made according to
	official regulations.
NB:	The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: Aerosols, environmentally hazardous

(KOHLENWASSERSTOFFE, C6, ISOALKANE, <5%N-HEXAN)

14.3. Transport hazard class(es)

Transport class: 2 (5F+Gase)

14.4. Packing group

Packing group: entfällt

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: EMS Number: F-D,S-U Stowage Code: SW1, SW22 Segregation Code: SG69

Tunnel code: D

Transport category: 2

IMDG seg. group: LQ: 1L; EQ E0

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Directive 2012/18/EU Named dangerous substances - ANNEX 1 None of the ingredients

is listed. Seveso category:

E2 Hazardous to the Aquatic Environment

P3b Flammable Aerosols Qualifying quantity (tonnes) for the application of lower-tier

requirements 200 t. Qualifying quantity (tonnes) for the application of upper-tier

requirements 500 t.

SPRAYWASH

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H229: Pressurised container: May burst if heated
	H280: Contains gas under pressure; may explode if heated.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.